



Personal SRLs REIMAGINED

Think of your standard cable SRL. Now, think again.

Latitude Edge 8' Cable SRL-P

CLASS

2

Anchor above or
below dorsal D-ring

That's the challenge the Safewaze engineers tackled through dozens of product iterations: Better. Smoother. Lighter. Stronger.

The result is an SRL built entirely around efficiency. It's not just one thing in isolation. It's everything all together.

Introducing the reimagined Latitude Edge Cable SRL-P, designed and engineered exclusively by the experts at Safewaze.

AN SRL UNLIKE ANY OTHER

Latitude Edge 8' Cable SRL-P

A state-of-the-art personal SRL packed with all the critical features – plus so much more. Lowest Class 2 Arrest Distance!*



Durable stainless-steel housing with nylon sides

Compact shock pack design

Service and repair capable units

*Compared to similar models, based on published data

Frameless design creates thinner housing size to reduce worker fatigue



Side payout for smooth retraction to keep you working smoothly

Galvanized steel cable

RFID equipped



360/180° attachment point offers full range of motion for increased efficiency



Exclusive dorsal attachment bracket with SRL separator feature



Harness restraint strap reduces movement to improve ergonomic comfort

Protective label cover for product longevity and traceability

KEY SPECS:

Materials: 3/16" galvanized steel cable, steel, stainless steel & aluminum components, nylon & stainless-steel housing, rubber handle
 Length: 8' (2.4 m)
 ANSI Weight Capacity: 130-310 lbs. (59-141 kg)
 OSHA Weight Capacity: Up to 420 lbs. (191 kg)
 ANSI Standards: Z359.14-2021
 OSHA Standards: 1910.140, 1910.66
 All components are Z359.12 compliant

CLASS
2
 Anchor above or below dorsal D-ring

Single and dual with multiple hook options

023-5350	Latitude Edge 8' Single Cable SRL-P: Snap Hook	
023-5351	Latitude Edge 8' Single Cable SRL-P: Rebar Hook	
023-5352	Latitude Edge 8' Single Cable SRL-P: Alu Snap Hook	
023-5353	Latitude Edge 8' Single Cable SRL-P: Alu Rebar Hook	
023-5354	Latitude Edge 8' Single Cable SRL-P: Alu Carabiner	
023-5355	Latitude Edge 8' Dual Cable SRL-P: Snap Hooks	
023-5356	Latitude Edge 8' Dual Cable SRL-P: Rebar Hooks	
023-5357	Latitude Edge 8' Dual Cable SRL-P: Alu Snap Hooks	
023-5358	Latitude Edge 8' Dual Cable SRL-P: Alu Rebar Hooks	
023-5359	Latitude Edge 8' Dual Cable SRL-P: Alu Carabiners	

Latitude Edge 8' Cable SRL-P

Combine best in class engineering with Class 2 versatility for use on a wide range of job sites, including the most extreme leading-edge environments.

CLASS

2

Anchor above or below dorsal D-ring



CONSTRUCTION



GENERAL INDUSTRY



MANUFACTURING



UTILITIES



OIL & GAS



MINING



**ASK US
ABOUT:
Latitude
Edge Web**

Class 2 SRL-P
in 6', 8' and
11' lengths,
assembled in
Concord, NC



225 Wilshire Avenue SW, Concord NC 28025

• 800-230-0319

• safewaze.com

