

FS560

PRO 6' Energy Absorbing Lanyard: Snap Hook



Features and Benefits 1" polyester webbing

2 forged steel snap hooks Protective label cover Ballistic shock cover Single leg construction

Length 6 ft (1.8 m)

Weight 2.5 lbs (1.1 kg)

User Weight Capacity ANSI 130-310 lbs (140.61 kg)

Attachment Point(s) 2 Snap Hooks

Standards Compliant With

ANSI	Z359.13, A10.32
OSHA	1926.502

Material Specifications:	
Webbing	1" Polyester
Snap Hooks	Forged Steel



FS560-4

PRO 4' Energy Absorbing Lanyard: Snap Hook



Features and Benefits 1" polyester webbing

2 forged steel snap hooks Protective label cover Ballistic shock cover Single leg construction

Length 4 ft (1.2 m)

Weight 2.5 lbs (1.1 kg)

User Weight Capacity ANSI 130-310 lbs (140.61 kg)

Attachment Point(s) 2 Snap Hooks

Standards Compliant With

ANSI	Z359.13, A10.32
OSHA	1926.502

Material Specifications:		
Webbing	1" Polyester	
Snap Hooks	Forged Steel	



FS560-3

PRO 3' Energy Absorbing Lanyard: Snap Hook



Features and Benefits 1" polyester webbing

2 forged steel snap hooks Protective label cover Ballistic shock cover Single leg construction

Length 3 ft (.9 m)

Weight 1.3lbs (.6kg)

User Weight Capacity ANSI 130-310 lbs (140.61 kg)

Attachment Point(s) 2 Snap Hooks

Standards Compliant With

ANSI	Z359.13, A10.32
OSHA	1926.502

Material Specifications:	
Webbing	1" Polyester
Snap Hooks	Forged Steel