



SAFEWAZE

**PRODUCT
SPOTLIGHT**

Specialized Protection **ARC FLASH HARNES & LANYARD**

Extreme work environments require highly specialized products.

Specifically engineered and tested to withstand the unique hazards of at-height arc flash environments – plus the Safewaze comfort and quality you count on.

**ARC
FLASH** 





020-1252

DIELECTRIC
HARDWARE
OPTION

ARC FLASH ARAMID HARNES LINE

Premium Protection

- Top quality flame and heat resistant ASTM/ NFPA approved aramid webbing
- Superior Nomex® branded shoulder, waist and leg pads

Durability & Comfort

- As hard-working as the utility, electric and oil & gas workers who need it
- Safety first includes comfort – fits securely and flexes with you as you work

Range of Options

- Available in both construction and full body harness styles
- Coated, corrosion-resistant dielectric hardware options

INNOVATIVE BACKING PROTECTION

STANDARD
HARDWARE
OPTION



ARC FLASH ARAMID 6' LANYARDS

Premium Protection

- Top quality flame and heat resistant Kevlar® branded aramid webbing
- Superior Nomex® branded label and shock covers

Energy Absorbing

- External energy absorbing shock pack with efficient tear webbing to safely reduce force on worker

Range of Options

- Available in both dual and single leg styles
- Offered with dielectric hook option
- Offered in a non-conductive soft loop option for choke attachment flexibility



020-1250 – 020-1256	Arc Flash Construction Harness: DE 3D, DE QC Chest, DE FD, DE QC Legs	SPECS: <ul style="list-style-type: none"> • 40Cal rated webbing • 700F char rated webbing • ANSI Weight Capacity: 130-310 lbs. (59-141 kg) • OSHA Weight Capacity: Up to 420 lbs. (191 kg) • Standards: ANSI Z359.11-2014, ASTM F887
020-1258 – 020-1264	Arc Flash Construction Harness: DE 3D, DE QC Chest, TB Legs	
020-1344 – 020-1350	Arc Flash Construction Harness: 3D, MB Chest, TB Legs	
020-1266 – 020-1272	Arc Flash Full Body Harness: DE 3D, DE QC Chest, DE FD, TB Legs	
020-1274 – 020-1280	Arc Flash Full Body Harness: DE 3D, DE MB Chest/Legs	
020-1282 – 020-1288	Arc Flash Full Body Harness: DE 1D, DE MB Chest, TB Legs	
020-1290 – 020-1296	Arc Flash Full Body Harness: DE 1D, DE MB Chest/Legs	
020-1352 – 020-1358	Arc Flash Full Body Harness: 1D, MB Chest, TB Legs	

020-2040	Arc Flash 6' Energy Absorbing Lanyard: Aramid, Dual Leg, Dielectric Snap Hooks	SPECS: <ul style="list-style-type: none"> • 40Cal rated webbing • 750F char rated webbing • 1-3/4" Kevlar® aramid webbing • ANSI Weight Capacity: 130-310 lbs. (59-141 kg) • Minimum breaking strength 5,000 lbs. • Meets ANSI Z359.13, ANSI A10.32, OSHA 1926.502
020-2041	Arc Flash 6' Energy Absorbing Lanyard: Aramid, Dual Leg, Alu Rebar Hooks	
020-2042	Arc Flash 6' Energy Absorbing Lanyard: Aramid, Dual Leg, Rebar Hooks	
020-2043	Arc Flash 6' Energy Absorbing Lanyard: Aramid, Dual Leg, Alu Snap Hooks	
020-2044	Arc Flash 6' Energy Absorbing Lanyard: Aramid, Dual Leg, Snap Hooks	
020-2045	Arc Flash 6' Energy Absorbing Lanyard: Aramid, Snap Hook	
020-2046	Arc Flash 6' Energy Absorbing Lanyard: Aramid, Snap Hook, Soft Loop	

WE CARRY A FULL RANGE OF **ARC FLASH**  **PRODUCTS**



Arc Flash Harness Line

Dependable, superior protection plus all-day comfort. Aramid webbing, Nomex® pads and dielectric hardware options.

Arc Flash 6' Lanyards

Premium flame and heat resistant materials: Kevlar® aramid webbing and Nomex® shock cover available in a variety of configurations.

Latitude Pro Arc Flash SRLs

One of the most durable line of SRLs on the market featuring side payout housing and a revolutionary internal brake system.

