



SAFEWAZE

**PRODUCT
SPOTLIGHT**



LATITUDE PRO ARC FLASH SRL-P

Broad usage in multiple extreme heat environments. One of the most durable SRLs on the market featuring new side payout housing and an exclusive internal brake system

**FOR USE IN EXTREME
HEAT ENVIRONMENTS**

**ARC
FLASH** 

**HOT
WORKS** 

WELDING 

LATITUDE

PRO ARC FLASH

Versatile. Dependable. Revolutionary.

- Heat and fire resistant for use in arc flash, hot works and welding environments
- Engineered for premium performance in extreme heat conditions
- Internal brake system unique to our Latitude Pro products increases dependability while eliminating the need for an external shock pack



Premium side payout housing gives user complete confidence in a full, retraction




360/180° attachment point provides full range of motion for increased freedom of movement



Nomex® flame-resistant cover protects label during a high heat or arc flash event



Kevlar® branded webbing plus minimal exposed material to protect against UV damage



- Clear housing allows for easy inspection
- Heavy duty formulated resin for utmost durability
- Semi-sealed pawl assembly keeps dirt out to protect components





7' Dual Leg Options



	9013 Behind The Web Bracket	9012 Behind The Web Bracket
Steel Snap Hooks	020-5213	020-5217
Aluminum Snap Hooks	020-5215	020-5219
Steel Rebar Hooks	020-5214	020-5218
Aluminum Rebar Hooks	020-5216	020-5220
Dielectric Snap Hooks	020-5221	—



7' Single Leg Options



	Steel Carabiner	9013 Behind The Web Bracket
Steel Snap Hook	020-5200	020-5204
Aluminum Snap Hook	020-5202	020-5206
Steel Rebar Hook	020-5201	020-5205
Aluminum Rebar Hook	020-5203	020-5207
Dielectric Snap Hook	—	020-5208

SPECS

- Class 1 personal SRL
- Multiple lengths
- 20mm trusted Kevlar® webbing
- Capacity 130-310 lbs.
- Meets ASTM F887 Arc Flash standard
- Meets ANSI Z359.14
- Meets OSHA 1926.502
- 40 cal rated

