



Personal Web SRLs **REIMAGINED**

Latitude Edge Web SRL-P

Think of your standard web SRL. Now, think again.

This is an SRL built entirely around efficiency. The special webbing is tough – resistant to sharp and leading edge damage. It's lightweight – lighter than comparable cable units. Plus, it's perfect for sensitive areas where a steel cable could wreak costly damage.

Introducing the reimagined Latitude Edge Web SRL-P, designed, engineered and assembled exclusively by the experts at Safewaze.

Offered in 6', 8' and 11' lengths.

CLASS

2

Anchor above or below dorsal D-ring



**ASSEMBLED
IN THE
USA**

A WEB SRL UNLIKE ANY OTHER

Latitude Edge Web SRL-P

A state-of-the-art personal web SRL packed with all the critical features – plus so much more.

Low Class 2 Arrest Distance*

Compact, space-saving shock pack design

Harness restraint strap reduces movement to improve ergonomic comfort

Protective label cover for product longevity and traceability

Lightweight, durable nylon housing

Service and repair capable units

Optimized walking speed practically eliminates nuisance lock-ups

Protection for workers – and the work zone. Web SRLs are perfectly suited for areas with valuable materials or sensitive equipment. A steel cable can scrape and drag on surfaces, causing costly damage, where webbing protects both the workers and the work site.

CLASS 2
Anchor above or below dorsal D-ring

Designed, engineered and assembled in Concord, NC



Specialized, engineered webbing is edge-resistant yet lighter than cable

Side payout for smooth retraction to keep you working smoothly

Heat-resistant webbing with Kevlar core for high heat environments

*Compared to similar models, based on published data



360/180° attachment point offers full range of motion for increased efficiency



Exclusive dorsal attachment bracket with SRL separator feature

WEB SRL KEY SPECS:

Materials: Specialized composite webbing; stainless steel, steel, and aluminum hardware; nylon housing, polyester energy absorber

ANSI Weight Capacity: 130-310 lbs. (59-141 kg)

OSHA Weight Capacity: Up to 420 lbs. (191 kg)

ANSI Standards: Z359.14-2021

OSHA Standards: 1910.140, 1910.66

All components are Z359.12 compliant

Versatility to Get Exactly What You Need

- Available in 6', 8' and 11' Lengths
- Single and Dual Leg Styles
- Variety of Connection Options

| 6' SERIES | | |
|------------|--|--|
| 024-5376 | Latitude Edge 6' Single Web SRL-P: Snap Hook | |
| 024-5377 | Latitude Edge 6' Single Web SRL-P: Rebar Hook | |
| 024-5378 | Latitude Edge 6' Single Web SRL-P: Alu Snap Hook | |
| 024-5379 | Latitude Edge 6' Single Web SRL-P: Alu Rebar Hook | |
| 024-5380 | Latitude Edge 6' Single Web SRL-P: Alu Carabiner | |
| 024-5381 | Latitude Edge 6' Dual Web SRL-P: Snap Hooks | |
| 024-5382 | Latitude Edge 6' Dual Web SRL-P: Rebar Hooks | |
| 024-5383 | Latitude Edge 6' Dual Web SRL-P: Alu Snap Hooks | |
| 024-5384 | Latitude Edge 6' Dual Web SRL-P: Alu Rebar Hooks | |
| 024-5385 | Latitude Edge 6' Dual Web SRL-P: Alu Carabiners | |
| 8' SERIES | | |
| 023-5340 | Latitude Edge 8' Single Web SRL-P: Snap Hook | |
| 023-5341 | Latitude Edge 8' Single Web SRL-P: Rebar Hook | |
| 023-5342 | Latitude Edge 8' Single Web SRL-P: Alu Snap Hook | |
| 023-5343 | Latitude Edge 8' Single Web SRL-P: Alu Rebar Hook | |
| 023-5344 | Latitude Edge 8' Single Web SRL-P: Alu Carabiner | |
| 023-5345 | Latitude Edge 8' Dual Web SRL-P: Snap Hooks | |
| 023-5346 | Latitude Edge 8' Dual Web SRL-P: Rebar Hooks | |
| 023-5347 | Latitude Edge 8' Dual Web SRL-P: Alu Snap Hooks | |
| 023-5348 | Latitude Edge 8' Dual Web SRL-P: Alu Rebar Hooks | |
| 023-5349 | Latitude Edge 8' Dual Web SRL-P: Alu Carabiners | |
| 11' SERIES | | |
| 024-5386 | Latitude Edge 11' Single Web SRL-P: Snap Hook | |
| 024-5387 | Latitude Edge 11' Single Web SRL-P: Rebar Hook | |
| 024-5388 | Latitude Edge 11' Single Web SRL-P: Alu Snap Hook | |
| 024-5389 | Latitude Edge 11' Single Web SRL-P: Alu Rebar Hook | |
| 024-5390 | Latitude Edge 11' Single Web SRL-P: Alu Carabiner | |
| 024-5391 | Latitude Edge 11' Dual Web SRL-P: Snap Hooks | |
| 024-5392 | Latitude Edge 11' Dual Web SRL-P: Rebar Hooks | |
| 024-5393 | Latitude Edge 11' Dual Web SRL-P: Alu Snap Hooks | |
| 024-5394 | Latitude Edge 11' Dual Web SRL-P: Alu Rebar Hooks | |
| 024-5395 | Latitude Edge 11' Dual Web SRL-P: Alu Carabiners | |

Latitude Edge 8' Web SRL-P

Combine best in class engineering with Class 2 versatility for use on a wide range of job sites, including the most extreme leading-edge environments.

CLASS

2

Anchor above or below dorsal D-ring



CONSTRUCTION



GENERAL INDUSTRY



MANUFACTURING




UTILITIES



OIL & GAS



MINING



ASK US ABOUT:

- Latitude Edge 8' Cable SRL-P (Class 2)
- Tie-back options in both web and cable



225 Wilshire Avenue SW, Concord NC 28025

• 800-230-0319

• safewaze.com

