



Manufacturer: _____

Company: _____

Model Number: _____

Name of Inspector: _____

Description: _____

Signature: _____

Serial Number: _____

Date of Inspection: _____

Lot Number: _____

In-Service Date: _____

Date of Manufacture: _____

- Lanyard Configuration:
- Single Leg
 - Cable
 - Internal Shock Absorber
 - Dual Leg
 - Web
 - External Shock Absorber
 - Non-Shock Absorber

LABELS & MARKINGS

PASS FAIL NOTE

| | PASS | FAIL | NOTE |
|--|------|------|------|
| Label (Intact and Legible) | | | |
| Appropriate ANSI / OSHA / CSA Markings | | | |
| Inspections are Current / Up-to-Date | | | |
| Date of First Use | | | |

CONNECTORS

PASS FAIL NOTE

| | PASS | FAIL | NOTE |
|--------------------------------------|------|------|------|
| Connector (Self-Closing and Locking) | | | |
| Hook Gate / Rivets | | | |
| Corrosion / Pitting / Nicks | | | |

MATERIAL (Web or Cable)

PASS FAIL NOTE

| | PASS | FAIL | NOTE |
|--|------|------|------|
| Broken / Missing / Loose Stitching | | | |
| Termination (Stitch, Splice, or Swage) | | | |
| Webbing Length | | | |
| Cuts / Burns / Holes | | | |
| Paint Damage | | | |
| Cable Separating / Bird-Caging | | | |

SHOCK PACK (If Applicable)

PASS FAIL NOTE

| | PASS | FAIL | NOTE |
|---|------|------|------|
| Cover / Shrink Tube (Don't Cut or Remove) | | | |
| Damage / Fraying / Broken Stitching | | | |
| Impact Indicator (Signs of Deployment) | | | |

NOTES

