



SAFEWAZE

PRODUCT SPOTLIGHT



Take the Next Step in
Ladder Safety

SAFEWAZE LADDER CLIMB SYSTEM

This flexible cable system is engineered to deliver easy, affordable safety in a durable system you can trust.

■ Economical:

Competitive pricing means you save money

■ Convenient:

Easy installation with permanent one-time setup

■ Rugged:

Highly durable materials for lasting dependability

■ Compliant:

Meets applicable OSHA & ANSI standards

■ Trusted:

High-quality construction for confidence you can count on





2-Person Ladder Climb System

Maximum flexibility with options in a range of heights from 20 ft. to 100 ft.



2-Person 4 ft. Extended Top Ladder Climb System

Maximum flexibility with options in a range of heights from 20 ft. to 100 ft.




4-Person Ladder Climb System

Save time with faster access for multiple users at once.

All Systems Feature a Complete Kit (intermediate guides and cable sleeve sold separately)

- 3/8" galvanized steel or stainless steel cable
- Pre-swaged termination
- 3,600 lbs. single user anchor point
- Tension retaining base bracket
- All mounting hardware
- Product and inspection label
- Meets OSHA 1926.1053, 1920.29



INDIVIDUAL COMPONENTS

All top brackets feature energy absorbing, stainless steel head unit with black powder coating for easier cable visibility. Bottom bracket has a spring loaded tensioner that adjusts for conditions.



**Top Bracket Assembly
(2-Person)**

Galvanized	019-12022
Stainless	022-12102



**Extended Top
Bracket Assembly
(2-Person)**

Galvanized	019-12023
------------	-----------



**Top Bracket Assembly
(4-Person)**

Galvanized	019-12024
Stainless	022-12104



**Bottom Bracket
Assembly**

Galvanized	019-12025
Stainless	022-12105



**Individual Cable
Assembly**

Part numbers vary



**Intermediate
Guide (straight)**

Galvanized	019-12027
Stainless	022-12107



**Intermediate
Guide (90°)**

Galvanized	019-12026
Stainless	022-12106



U-bolts

Galvanized	019-12028
Stainless	022-12108



Nuts

Galvanized	019-12029
Stainless	022-12109



Backer Bracket

Galvanized	019-12030
Stainless	022-12110

EVO 3/8" Detachable Cable Sleeve

Available to order separately

Make the connection more quickly and easily with this improved cable grab.

- Durable stainless steel base and aluminum cover plate
- Convenient connection point with rotating, twist-lock carabiner
- Quality in-line energy absorber for average arrest force between 1350-1800 lbs.
- Innovative anti-inversion feature



020-12101



COMPONENT SPECIFICATIONS

2-Person Ladder Climb System 620 lb. capacity

PRODUCT	GALVANIZED	STAINLESS
20 ft.	019-12001	022-12111
30 ft	019-12002	022-12112
40 ft	019-12003	022-12113
50 ft	019-12004	022-12114
60 ft	019-12005	022-12115
70 ft	019-12006	022-12116
80 ft	019-12007	022-12117
90 ft	019-12008	022-12118
100 ft	019-12009	022-12119

4-Person Ladder Climb System 1240 lb. capacity

PRODUCT	GALVANIZED	STAINLESS
30 ft.	019-12041	022-12128
50 ft	019-12043	022-12130
70 ft	019-12045	022-12132
90 ft	019-12047	022-12134

Individual Cable Assembly

PRODUCT	GALVANIZED	STAINLESS
20 ft.	019-12012	022-12136
30 ft	019-12013	022-12137
40 ft	019-12014	022-12138
50 ft	019-12015	022-12139
60 ft	019-12016	022-12140
70 ft	019-12017	022-12141
80 ft	019-12018	022-12142
90 ft	019-12019	022-12143
100 ft	019-12020	022-12144

2-Person 4 ft. Extended Top System 620 lb. capacity

PRODUCT	ONLY GALVANIZED
30 ft.	019-12032
50 ft	019-12034
70 ft	019-12036
90 ft	019-12038

Bracket Assembly Includes mounting hardware

PRODUCT	GALVANIZED	STAINLESS
Top, 2-person	019-12022	022-12102
Extended, 2-person	019-12023	---
Top Bracket, 4-person	019-12024	022-12104
Bottom	019-12025	022-12105

Intermediate Guides

PRODUCT	GALVANIZED	STAINLESS
90°	019-12026	022-12106
Straight	019-12027	022-12107

Additional Components

PRODUCT	GALVANIZED	STAINLESS
U-bolts (2)	019-12028	022-12108
Nuts (2 pc set)	019-12029	022-12109
Backer Bracket	019-12030	022-12110

System Label	370-00004
--------------	-----------

