



SAFEWAZE



PROUD
SUPPORTER
OF THE

Tunnel to Towers Foundation

T2T.ORG



EVERY PURCHASE MAKES A DIFFERENCE
HELP A HERO

FROM 10/1-10/31

20%

OF ELIGIBLE SALES WILL SUPPORT THE
TUNNEL TO TOWERS FOUNDATION

SELF-RETRACTING LIFELINES

023-5360 - Single: 20" Tie-Back
023-5361 - Dual: 20" Tie-Back

Latitude Edge Tie-Back 7' Cable SRL

- Durable stainless steel housing with nylon sides
- Frameless design creates thinner housing size
- Exclusive dorsal attachment bracket with SRL separator feature
- Compact shock pack design with harness restraint strap
- 360/180° attachment point offers full range of motion

Latitude Edge Tie-Back 7' Cable SRL

023-5362	Single Cable SRL: 40" Tie-Back
023-5363	Dual Cable SRL: 40" Tie-Back

CLASS

2

Anchor above or below dorsal D-ring



023-5350 - Snap Hook
023-5351 - Rebar Hook
023-5352 - Alu Snap Hook
023-5353 - Alu Rebar Hook
023-5354 - Alu Carabiner

Latitude Edge 8' Single Cable SRL-P

- Durable stainless steel housing with nylon sides
- Frameless design creates thinner housing size
- Exclusive dorsal attachment bracket with SRL separator feature
- Compact shock pack design with harness restraint strap
- 360/180° attachment point offers full range of motion

Latitude Edge 8' Dual Cable SRL-P

023-5355	Snap Hooks
023-5356	Rebar Hooks
023-5357	Alu Snap Hooks
023-5358	Alu Rebar Hooks
023-5359	Alu Carabiners

CLASS

2

Anchor above or below dorsal D-ring



225 Wilshire Avenue SW, Concord NC 28025

800-230-0319

safewaze.com



EVERY PURCHASE MAKES A DIFFERENCE **HELP A HERO**

SELF-RETRACTING LIFELINES


018-5000 - No Attachment, Snap Hook
018-5004 - No Attachment, Snap Hook
018-5008 - Triple Lock Carabiner, Snap Hook
018-5012 - Alu Carabiner, Snap Hook

Latitude Pro 7' Single Web SRL-P

- Reliable internal braking system eliminates need for external shock pack
- High strength semi-sealed assembly protects internal components from debris to extend product life
- Translucent housing allows easy inspection of webbing, reserve line and pawl assembly
- 360/180° attachment point offers full range of motion

Latitude Pro 7' Dual Web SRL-P

018-5016	FS-EX313, Carabiner, Snap Hooks
018-5024	9013 BWB, Snap Hooks




FS-FSP1265-G

Northstar Classic 65' Cable SRL

- Swivel attachment point offers wide range of motion
- High strength polymer housing resists impact
- Braking system activates quickly to arrest fall
- Load indicating snap hook easily identifies when product has arrested a fall



**VETERANS =
6.5% OF U.S.**
CONSTRUCTION WORKERS (2022)



ANCHORS



021-4046

5K Swivel Stainless Steel Anchor & Bolt

- 180° / 360° rotating connection point for increased mobility
- Corrosion resistant steel
- Installs quickly and easily
- Temporary or permanent
- Vertical or horizontal use



020-4025

Peak Roof Anchor

- Installs easily on roof peak
- Dual D-ring for easy access to both sides of the peak
- Low profile, minimalistic design
- Constructed with durable stainless and zinc-plated steel



020-4026

Permanent Roof Anchor

- Installs easily between roof peak and eaves
- Low profile, minimalistic design
- Constructed with durable stainless and zinc-plated steel
- (14) 16D Roofing nails included



225 Wilshire Avenue SW, Concord NC 28025

800-230-0319

safewaze.com



EVERY PURCHASE MAKES A DIFFERENCE **HELP A HERO**

HARNESSES SIZES AS LISTED ONLY

FS99160-E-QC-S
FS99160-E-QC-M
FS99160-E-QC-XL
FS99160-E-QC-2X

V-Line Construction Harness: 3D, QC Chest/Legs

- Dorsal D-ring
- Side positioning D-rings
- Friction buckle torso adjusters
- Quick-connect chest
- Quick-connect legs
- Shoulder and waist pads



021-1617-S
021-1621-2X

V-Line Construction Harness: 3D, QC Chest, TB Legs

- Dorsal D-ring
- Side positioning D-rings
- Friction buckle torso adjusters
- Quick-connect chest
- Tongue buckle legs
- Shoulder pad
- Floating waist pad



LANYARDS

019-2011 - Snap Hook
019-2013 - Rebar Hook

Leading Edge 6' Energy Absorbing Lanyard

- 12' free fall lanyard
- 6' free fall lanyard
- 1/4" hi-vis coated green cable
- 2 forged steel snap hooks
- Protective shock and label covers
- Single leg construction



Leading Edge 6' Energy Absorbing Lanyard: Dual Leg

019-2012	Snap Hooks
019-2014	Rebar Hooks
019-2015	Alu Swivel Snap Hooks
019-2016	Alu Swivel Rebar Hooks
021-2062	D-Ring, Dual Leg, Snap Hooks

**THE CLOSEST
THING TO AN
ALL-PURPOSE
LANYARD!**

023-2098

Arc Flash 6' Energy Absorbing Lanyard: 12'FF, Aramid, Dual Leg, Tower Rebar Hook

- 12' free fall lanyard
- 1-3/4" aramid webbing
- 1 forged steel snap hook
- 2 stamped tower rebar hooks
- Nomex® label cover
- Nomex® shock cover
- Dual leg construction
- 40Cal/750F rated



023-2098
large tower
rebar hook

020-2042
standard size
rebar hook



225 Wilshire Avenue SW, Concord NC 28025

800-230-0319

safewaze.com



EVERY PURCHASE MAKES A DIFFERENCE
HELP A HERO

HORIZONTAL LIFELINES

019-8012 - 30'
019-8013 - 60'
019-8014 - 80'
019-8015 - 100'

4-Person Rope HLL: Cross Arm Straps

- Available in lengths from 30' to 100'
- Rugged double braid rope
- Rope tensioner with convenient built-in wrench
- Swivel connection point eliminates twisted rope
- Includes 2 heavy duty 6' cross-arm strap anchors
- Includes 4 O-rings and 2 carabiners
- Convenient carry and storage bag



CONFINED SPACE

019-11008

115' Personnel Winch

- Plastic cable shroud
- Free-wheel mode
- 6:1 gear ratio
- Corrosion-resistant galvanized steel cable with swivel snap hook
- Convenient attached carrying handle
- Matching bracket 019-11010 must be on tripod before mounting (not included)
- Unit is service and repair capable

12% OF EMPLOYED
VETERANS WORK
IN MANUFACTURING (2023)



TOOL LANYARDS

022-10006



5 lb. Arc Flash Tool Anchor

- Durable construction
- Versatile choke style installation
- 40Cal rated aramid webbing
- Kevlar stitching

022-10003 - 5 lbs.
022-10005 - 15 lbs.



Arc Flash Elasticated Tool Tether: 2 Carabiners

- 40Cal rated aramid web for arc flash and high heat environments
- Elasticated web for increased range and energy absorption
- 2 aluminum carabiners

022-10002 - 5 lbs.
022-10004 - 15 lbs.



Arc Flash Elasticated Tool Tether: Carabiner, Cinch

- 40Cal rated aramid web for arc flash and high heat environments
- Elasticated web for increased range and energy absorption
- Choker end with cord lock



225 Wilshire Avenue SW, Concord NC 28025

• 800-230-0319

• safewaze.com

